



Tork Aftøringspapir Basic 1-lag

Farve: Gul Type: Rulle



Fordel

- Godkendt til kontakt med fødevarer



1190 m



33 cm



1



Produktspecifikation

Artikel	System	Rullelængde	Rullebredde	Rullediameter	Indvendig kerner diameter	Lag	Farve
127107	W1 - Aftøringspapir væg-/gulv- /standardsystem	1190 m	33 cm	38 cm	7.1 cm	1	Gul

Beskrivelse

Et 1-lags papir til basale aftøringsopgaver.



Tork Aftøringspapir Basic 1-lag

Farve: Gul Type: Rulle

Forsendelsesdata

Forbrugerenhed

EAN	7322540069723
Stk.	1
Højde	330 mm
Bredde	380 mm
Længde	380 mm
Volumen	47.7 dm ³
Nettovægt	10014 g
Bruttovægt	10100 g

Transportenhed

EAN	7322540069723
Stk.	1
Forbrugerenheder	1
Materiale	Plastic
Højde	330 mm
Bredde	380 mm
Længde	380 mm
Volumen	47.7 dm ³
Nettovægt	10.0 kg
Bruttovægt	10.1 kg

Palle

EAN	7322540161885
Stk.	30
Forbrugerenheder	30
Højde	1800 mm
Bredde	800 mm
Længde	1200 mm
Volumen	1.4 m ³
Nettovægt	300.4 kg
Bruttovægt	304.2 kg



Miljø

Content

Recycled fibres

Chemicals

Material

Recycled fibres

Recovered paper can be produced both from collected newsprint, magazines and office waste. The paper is washed with water and treated with chemicals under high temperature and then filtered. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important.

The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material.

Bleaching of fibres

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

There are different methods used today for bleaching ECF (elementary chlorine free) where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view .

The used functional chemicals are:

Wet strength agent

Dry strength agent

If coloured = Dye

Fixing agents

Fluorescent whitening agent



Tork Aftørringspapir Basic 1-lag

Farve: Gul Type: Rulle

Glue

Softeners

The process chemicals are:

Antipitch

Protection agent

Yankee coating

Defoamer

Dispersing agents and surfactants

pH and charge control

Retention aids

Broke treatment chemicals

Drainage aid

Food Contact

This product fulfils the legislative requirements for Food Contact materials, confirmed by external certification performed by third party. The product is safe for wiping food contact surfaces and may also come occasionally into contact with foodstuffs for a short period of time.

Packaging

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes

Environmental label

Approved and labeled according to Nordic ecolabel License no. 305003 and EU Ecolabel, licence

SE/04/01

Date of issue 2007-08-27

Revision date 2012-03-26

SCA Hygiene Products AB, 405 03 Göteborg, SE

Production





Tork Aftørringspapir Basic 1-lag

Farve: Gul Type: Rulle

This product is produced in Lilla Edet mill, Sweden, certified according to ISO 9001, ISO 1400.

Disposal / destruction of used product

This product is mainly used for industrial processes and might through use be contaminated with different substances. This will determine how the used product will be handled / disposed of /destroyed. The product itself is suitable for incineration. Contact local authorities before destruction.